

Elastomer Guide 2

Common Name Base Polymer	Chemical Name	Compression Set	Resilience Cold	Resilience Hot	Dielectric Strength	Electrical Insulation	Impermeability to Gases	Acid Resistance Dilute	Concentrated	Solvent Resistance, Aliphatic Hydrocarbons	Aromatic Hydrocarbons	Oxygenated (Ketones, etc.)
Natural Rubber	Polyisoprene	E	E	E	E	G-E	G	F-G	F-G	P	P	P
SBR or GR-S or Buna S	Styrene Butadiene	G	G	G	G	G	F	F-G	F-G	P	P	P
Butyl	Isobutylene Isoprene	F	P	VG	G	G	O	E	G	P	P	G
Butadiene	Polybutadiene	VG	O	E	G	G-E	G	F-G	F-G	P	P	P
EPDM or EP Rubber	Ethylene Propylene	G	G	VG	O	O	G	E	G	P	P	E
Neoprene	Chloroprene	G	G	VG	VG	F-G	G	E	G	F-G	F	P-F
CPE	Chlorinated Polyethylene	G	F	G	E	G	E	E	G	G	F	F
Nitrile or NBR or Buna N	Acrylonitrile Butadiene	G	G	G	P	P	G	G	G	E	G	P
Urethane	Polyester/ Ether Urethane	G	G	G	E	G	G	F	P	F-G	P	P
Hypalon	Chlorosulfonated Polyethylene	F	F	G	VG	G	E	E	G	F-G	F	P-F
Epichlorohydrin Rubber	Polyalkylene Oxide	P	G	G	G	G	E	F-G	F	E	G	P
Acrylic	Polyacrylate	G	P	P	F	F	G	F	P	E	F-P	P
Silicone	Polysiloxane	VG	E	E	G	E	F	E	F	P	P	P
Fluorosilicone	Fluoroalkyl Polysiloxane	G	E	E	G	E	G	E	F	E	E	P
Fluorocarbon	Fluorinated Hydrocarbon	VG	F	G	VG	G	E	G-E	E	E	E	P

O=Outstanding, E=Excellent, VG=Very Good, F=Fair, P=Poor